

BEST AVAILABLE COPY

Amendments to the Claims

The following listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims

What we claim as our invention is:

1. (original) A portable utility stand comprising:

a base frame member with a plurality of user equipment mounting means;

a seat and backrest member wherein the seat member includes a storage compartment comprising a slidably mounted drawer and storage compartment including a means for slidably mounting said seat and backrest to said base frame member; and

a slidably and pivotably mounted work/reference platform pivotably mounted to said base frame member; and

a pivotably mounted equipment support structure uniquely configured to hold user specific equipment mounted to said base frame member; and

a flexible gooseneck equipment support member pivotably mounted to said base frame member; and

a plurality of footrest platforms adjustably mounted to said base frame member; and

a plurality of reference tables pivotably mounted to said base frame member; and

a extension arm member pivotably mounted to said base frame member and pivotably supporting said equipment support structure; and

a umbrella whereby the user and his equipment is protected from the elements is mounted to the said base frame using a plurality of the said base frame user equipment mounting means.

2. (original) The portable utility stand of claim 1 wherein:

the portable utility stand is collapsible by removing the equipment from the user equipment mounting means of said base frame member and storing substantially horizontal in close proximity to said base frame member.

3. (original) The portable utility stand of claim 1 wherein:

the base frame mounting means of said base frame are configured to cooperate with all of the mounting stalks of said user equipment providing the user the ability to arrange the equipment on the said base frame to suit personal preference.

4. (original) The portable utility stand of claim 1 wherein:

the said base frame member is composed of three members; a horizontal center member that supports the said seat and footrest equipment mounting means; substantially perpendicular leg members at each end of the said center member supported by mounting feet at the extreme ends of the perpendicular leg members, providing an enlarged bearing surface for supporting said portable utility stand.

5. (original) The portable utility stand of claim 1 wherein:

the seat is slidably adjustable for height and the seat back is pivotably adjusted for tilt.

6. (original) The portable utility stand of claim 1 wherein:

the work/reference platform is illuminated with a plurality of battery powered LED sources mounted to the work/reference platform

7. (currently amended) The portable utility stand of claim 1 wherein:

a compact version of a portable utility stand comprising a three point supported platform having a means for pivotally collapsing the work surface such that it is stowed below the seat;

8. (currently amended) The portable utility stand of claim 1 wherein:

a footrest support slidably attached to the utility platform providing vertical and lateral stability without affecting the kinematics of a three-point mount;

9. (currently amended) The portable utility stand of claim 1 wherein:

an instrument support slidably attached to the three point supported utility platform providing vertical and lateral stability without affecting the kinematics of a three-point mount

10. (currently amended) The portable utility stand of claim 1 wherein:

a collapsible seat assembly is incorporated comprising;
a support member
a mounting plate
a cushion

11. (currently amended) The portable utility stand of claim 1 wherein:

a slidably and pivotably mounted work/reference platform pivotably mounted to said base frame member.

12. (currently amended) The portable utility stand of claim 1 wherein:

a height adjustable footrest support comprised of a series of steps at two displaced points on a member whereby height adjustment is achieved by shifting the beam to a higher or lower set of steps;

whereby said portable utility stand will be more stable, require less floor area, and be less cumbersome to transport, adaptable to more uses, and require fewer parts than individual components.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.